

6.研究成果リスト

原著論文

1. Theoretical study on effects of photodecomposable quenchers in line-and-space pattern fabrication with 7 nm quarter-pitch using chemically amplified electron beam resist process
Takahiro Kozawa
Jpn. J. Appl. Phys., 56, 046502 (2017)
2. Shot noise limit of chemically amplified resists with photodecomposable quenchers used for extreme ultraviolet lithography
Takahiro Kozawa, Julius Joseph Santillan, and Toshiro Itani
Jpn. J. Appl. Phys 56, 066501 (2017)
3. Sensitivity enhancement of chemically amplified EUV resists by adding acid-generation promoters
Shinya Fujii, Kazumasa Okamoto, Hiroki Yamamoto, Takahiro Kozawa, and Toshiro Itani
Jpn. J. Appl. Phys. 56, 06GD01 (2017)
4. Excluded volume effects caused by high concentration addition of acid generators in chemically amplified resists used for extreme ultraviolet lithography
Takahiro Kozawa, Kyoko Watanabe, Kyoko Matsuoka, Hiroki Yamamoto, Yoshitaka Komuro, Daisuke Kawana, and Akiyoshi Yamazaki
Jpn. J. Appl. Phys. 56, 086502 (2017)
5. Theoretical study on relationship between exposure pattern width and chemical gradient of 16 nm half-pitch line-and-space patterns in electron beam lithography used for photomask and nanoimprint mold production
Takahiro Kozawa and Shusuke Yoshitake
Jpn. J. Appl. Phys. 56, 076501 (2017)
6. Theoretical study on sensitivity enhancement in energy-deficit region of chemically amplified resists used for extreme ultraviolet lithography
Takahiro Kozawa, Julius Joseph Santillan, and Toshiro Itani
Jpn. J. Appl. Phys. 56, 106503 (2017)
7. Theoretical study on effects of exposure pattern width on line edge roughness and stochastic defect generation in fabrication of 16 nm half-pitch line-and-space patterns using electron beam lithography
Takahiro Kozawa and Takao Tamura
Jpn. J. Appl. Phys. 56, 116501 (2017)

8. Electron-hole pairs generated in ZrO₂ nanoparticle resist upon exposure to extreme ultraviolet radiation
Takahiro Kozawa; Julius Joseph Santillan; Toshiro Itani
Jpn. J. Appl. Phys. 57, 026501 (2017)
9. Ecofriendly ethanol-developable processes for electron beam lithography using positive-tone dextrin resist material
Satoshi Takei, Naoto Sugino, Makoto Hanabata, Akihiro Oshima, Miki Kashiwakura, Takahiro Kozawa, and Seiichi Tagawa
Appl. Phys. Express 10, 076502 (2017)
10. Relationship between Sensitization Distance and Photon Shot Noise in Line Edge Roughness Formation of Chemically Amplified Resists Used for Extreme Ultraviolet Lithography
Takahiro Kozawa, Julius Joseph Santillan, Toshiro Itani
J. Photopolym. Sci. Technol. 30, 197-203 (2017)
11. Synthesis and Property of Tellurium-Containing Polymer for Extreme Ultraviolet Resist Material
Mari Fukunaga, Hiroki Yamamoto, Takahiro Kozawa, Takeo Watanabe, Hiroto Kudo
J. Photopolym. Sci. Technol. 30, 103-107 (2017)
12. Dynamics of Radical Ions of Hydroxyhexafluoroisopropyl-Substituted Benzenes.
Okamoto K, Nomura N, Fujiyoshi R, Umegaki K, Yamamoto H, Kobayashi K, Kozawa T.
J. Phys. Chem. A 121, 9458-9465 (2017)
13. Study on Resist Performance of Noria Derivatives Modified with Various Protection Ratios of Acetal Moieties by means of Extreme Ultraviolet Irradiation
Hiroki Yamamoto, Hiroto Kudo, Takahiro Kozawa
J. Photopolym. Sci. Technol. 30, 627-631 (2017)
14. Formation of Au nanoparticle arrays on hydrogel 2-D patterns based on poly(vinylpyrrolidone)
S. Tsukuda, K. Okamoto, H. Yamamoto, T. Kozawa, and T. Omata
Jpn. J. Appl. Phys. 56, 06GD06 (2017)
15. Fabrication of a Si lever structure made by double-angle etching with reactive gas cluster injection
T. Seki, H. Yamamoto, T. Kozawa, K. Koike, T. Aoki, and J. Matsuo
Appl. Phys. Lett. 110, 182105 (2017)
16. Angled ethching of Si by ClF₃-Ar gas cluster injection

- T. Seki, H. Yamamoto, T. Kozawa, T. Shoji, K. Koike, T. Aoki, and J. Matsuo
Jpn. J. Appl. Phys. 56, 06HB02 (2017)
17. Rate constant for the $\text{H}^- + \text{H}_2\text{O} \rightarrow \text{OH} + \text{H}_2$
reaction at elevated temperatures measured by pulse radiolysis
Phys. Chem. Chem. Phys. 19, 30834-30841 (2017)
18. Effect of the solvation state of electron in dissociative electron attachment reaction
in aqueous solutions
Furong Wang, Pierre Archirel, Yusa Muroya, Shinichi Yamashita, Pascal Pernot,
Chengying Yin, Abdel Karim El Omar, Uli Schmidhammer, Jean-Marie Teuler and
Mehran Mostafavi
Phys. Chem. Chem. Phys. 19, 23068-23077 (2017)
19. An improved method for modelling coolant radiolysis in ITER
Zhong Fang, Xuewu Cao, Lili Tong, Yusa Muroya, Giles Whitaker, Mojtaba
Momeni, Mingzhang Lin
Fusion Engineering and Design 127, 91-98 (2017)
20. Analysis of the relaxation process of electron-hole pairs in $\alpha\text{-Al}_2\text{O}_3$ using transient
absorption spectroscopy
Masanori Koshimizu, Yusa Muroya, Shinichi Yamashita, Hiroki Yamamoto,
Yutaka Fujimoto, Keisuke Asai
J. Mater. Sci.: Mater. Electron. 28, 7091-7094 (2017)
21. Sensing Mechanisms in the Redox-Regulated, [2Fe-2S] Cluster-Containing,
Bacteria Transcriptional Factor SoxR
Kazuo Kobayashi
Acc. Chem. Res. 50, 1672-1678 (2017)
22. Reaction Intermediates of Nitric Oxide Synthase from *Deinococcus radiodurans* as
Revealed by Pulse Radiolysis; Evidence for Intramolecular Electron Transfer from
Biopterin to $\text{Fe}^{\text{II}}\text{-O}_2$ Complex
Yuko Tsutsui, Kazuo Kobayashi, Fusako Takeuchi, Motonari Tsubaki, and Takahiro
Kozawa
Biochemistry in press
23. Rational Tuning of Superoxide Sensitivity in SoxR, the [2Fe-2S] Transcription
Factor; Implication of Species-Specific Lysine Residues
Mayu Fujikawa, Kazuo Kobayashi, Yuko Tsutsui, Takahiro Tanaka, and Takahiro
Kozawa
Biochemistry 56, 403-410 (2017)

24. Redox-dependent Axial Ligand Replacement and Its Functional Significance in Heme-bound Iron Regulatory Proteins
Mariko Ogura, Ryosuke Endo, Haruto Ishikawa, Yukiko Takeda, Takeshi Uchida,
Kazuhiro Iwai, Kazuo Kobayashi and Koichiro Ishimori
J. Inorganic Biochem. in press
25. 放射線誘起反応によるDNA損傷
小林 一雄
RADIOISOTOPES 66, 1-9 (2017)
26. 水と水溶液の放射線化学
室屋 裕佐
RADIOISOTOPES 66, 425-435 (2017)
27. Laser-induced fine structures on silicon exposed to THz-FEL
Akinori Irizawa, Shigemasa Suga, Takeshi Nagashima, Atsushi Higashiya, Masaki Hashida,
and Shuji Sakabe
Appl. Phys. Lett. 111, 251602 (2017)
28. Metal-Free Photocatalyst for H₂ Evolution in Visible to Near-Infrared Region:
Black Phosphorus/Graphitic Carbon Nitride
M. Zhu, S. Kim, L. Mao, M. Fujitsuka, J. Zhang, X. Wang, and T. Majima
J. Am. Chem. Soc. 2017, 139 (37), 13234-13242. (selected as a JACS Spotlight)
29. Au/La₂Ti₂O₇ Nanostructures Sensitized with Black Phosphorus for
Plasmon-Enhanced Photocatalytic Hydrogen Production in Visible and
Near-Infrared Light
M. Zhu, X. Cai, M. Fujitsuka, J. Zhang, and T. Majima
Angew. Chem. Int. Ed. 2017, 56, 2064-2068. (Hot Paper) (ESI highly cited paper)
30. Topotactic Epitaxy of SrTiO₃ Mesocrystals with Anisotropic Construction for
Efficient Hydrogen Evolution
P. Zhang, T. Ochi, M. Fujitsuka, Y. Kobori, T. Majima, and T. Tachikawa
Angew. Chem. Int. Ed. 2017, 56, 5299-5303.
31. In-situ Observation of Single Au Triangular Nanoprism Etching to Various Shapes
for Plasmonic Photocatalytic Hydrogen Generation
Z. Lou, S. Kim, P. Zhang, X. Shi, M. Fujitsuka, and T. Majima
ACS Nano 2017, 11(1), 968-974.
32. TiO₂ mesocrystals composited with gold nanorods for highly efficient
visible-NIR-photocatalytic hydrogen production
O. Elbanna, S. Kim, M. Fujitsuka, and T. Majima
Nano Energy 2017, 35, 1-8.

33. Two-Dimensional Au-Nanoprism/rGO/Pt-Nanoframe as Plasmonic Photocatalysts with Multi-Plasmon-Modes Boosting Hot Electron Transfer and Hydrogen Generation
Z. Lou, M. Fujitsuka, and T. Majima
J. Phys. Chem. Lett. 2017, 8(4), 844-849.
34. Radical Ions of a \square -Bowl Sumanene: Effects of Strained Structure on the Electronic Transitions Revealed by Radiation Chemical and Theoretical Studies
M. Fujitsuka, S. Tojo, T. Amaya, T. Hirao, and T. Majima
J. Phys. Chem. A 2017, 121(26), 4902-4906.
35. Photo-accelerated Hole Transfer in Oligothiophene Assemblies
C. Lu, M. Fujitsuka, and T. Majima
J. Phys. Chem. C 2017, 121(1), 649-655.
36. Dual Character of Excited Radical Anions in Aromatic Diimide Bis(Radical Anion)s: Donor or Acceptor?
C. Lu, M. Fujitsuka, A. Sugimoto, and T. Majima
J. Phys. Chem. C 2017, 121(8), 4558-4563.
37. Exploring photocatalytic hydrogen evolution on different phase of NixPy hybridize with g-C₃N₄
Z. Sun, M. Zhu, M. Fujitsuka, A. Wang, C. Shi, and T. Majima
ACS Appl. Mater. Interface 2017, 9(36), 30583–30590.
38. g-C₃N₄/TiO₂ mesocrystals composite for H₂ Evolution under Visible Light Irradiation and Its Charge Carrier Dynamic
O. Elbanna, M. Fujitsuka, and T. Majima
ACS Appl. Mater. Interface 2017, 9(40):34844-34854.
39. Controllable Nanothorns on TiO₂ Mesocrystals for Efficient Charge Separation in Hydrogen Evolution
P. Zhang, S. Kim, M. Fujitsuka, and T. Majima
Chem. Commun. 2017, 53, 5306-5309.
40. Charge separation in a nanostep structured perovskite-type photocatalyst induced by successive surface heterojunctions
X. Cai, L. Mao, J. Zhang, M. Zhu, M. Fujitsuka, and T. Majima
J. Mater. Chem. A 2017, 5, 10442-10449.
41. In Situ Synthesis of Hollow-N-TiO₂/g-C₃N₄ Heterostructure: Nobel Metal Free Visible-Light-Driven Photocatalysis Induced by Efficient Charge Separation
X. Shi, M. Fujitsuka, Z. Lou, P. Zhang, and T. Majima
J. Mater. Chem. A 2017, 5, 9671-9681.

42. Hot electron driven hydrogen evolution using anisotropic gold nanostructures assembled monolayer MoS₂
P. Zhang, M. Fujitsuka, and T. Majima
Nanoscale 2017, 9, 1520-1526.
43. Aggregation-induced Enhanced Singlet Oxygen Generation: Distinct Aggregation Patterns of Fluorescent Dyes and Anthrylphenylene Dyads Enhancing Singlet Oxygen Formation
S. Kim, Y. Zhou, N. Tohnai, M. Fujitsuka, M. Miyata, and T. Majima
Chem. Eur. J. 2017, 23, 1-11.
44. Live cell imaging using photoswitchable diarylethene doped fluorescent polymer dots
Y. Osakada, T. Fukaminato, Y. Ichinose, M. Fujitsuka, Y. Harada, and T. Majima
Chem. Asian J. 2017, 12, 2660-2665.
45. Graphitic-C₃N₄ hybridized N-doped La₂Ti₂O₇ two-dimensional layered composites for efficient visible-light-driven photocatalyst
X. Cai, J. Zhang, M. Fujitsuka, and T. Majima
Appl. Catal. B Environ. 2017, 202, 191-198.
46. One-Step Synthesis of Nonstoichiometric TiO₂ with Desired (101) Facets for Enhancing Photocatalytic H₂ Evolution
W.-K. Wang, M. Gao, X. Zhang, M. Fujitsuka, T. Majima, and H.-Q. Yu
Appl. Catal. B Environ. 2017, 205, 165-172.
47. Black phosphorous: 2D visible and near-infrared-activated photocatalyst for H₂ evolutions
M. Zhu, Y. Osakada, S. Kim, M. Fujitsuka, and T. Majima
Appl. Catal. B Environ. 2017, 217, 285-292.
48. Porous Bimetallic PdNi Catalyst with High Electrocatalytic Activity for Ethanol Electrooxidation
Y. Feng, D. Bin, B. Yan, Y. Du, T. Majima, and W. Zhou
J. Colloid Interface Sci. 2017, 493, 190-197.
49. Z-Scheme Photocatalytic Overall Pure-Water Splitting on 2D Heterostructure of Black Phosphorus/BiVO₄ under Visible Light
M. Zhu, Z. Sun, M. Fujitsuka, and T. Majima
Angew. Chem. Int. Ed. DOI: 10.1002/anie.201711357. Very Important Paper (VIP).
50. Au Nanorods Photosensitized La₂Ti₂O₇ Nanosteps: Successive Surface Heterojunctions Boosting Visible-Near Infrared Photocatalytic H₂ Evolution

- X. Cai, M. Zhu, O. Elbanna, M. Fujitsuka, S. Kim, L. Mao, J. Zhang, and T. Majima
ACS Catal. 2018, 8(1), 122-131.
51. Excited-State Properties of Radical Anions of C₇₀ and Its Derivatives: Significant Differences from the Case of C₆₀
C. Lu, M. Fujitsuka, A. Sugimoto, and T. Majima
J. Phys. Chem. C. Special Issue entitled: Prashant V. Kamat Festschrift, DOI:
10.1021/acs.jpcc.7b10926.
52. Synthesis of gold-diamond nanoparticles via electron beam-induced reduction method for time-domain, multimodal bioimaging
M. Morita, T. Tachikawa, S. Seino, K. Tanaka, and T. Majima
ACS Appl. Nano Mater. 2018, 1 (1), 355–363.
53. Anisotropic Ag₂S-Au Triangular Nanoprisms with Desired Configuration for Plasmonic Photocatalytic Hydrogen Generation in Visible/Near-Infrared Region
Z. Lou, S. Kim, M. Fujitsuka, X. Yang, B. Li, and T. Majima
Adv. Funct. Mater. DOI: 10.1002/adfm.201706969.
54. Faster Electron Injection and More Active Sites for Efficient Photocatalytic H₂ Evolution in g-C₃N₄/MoS₂ Hybrid
X. Shi, M. Fujitsuka, S. Kim, and T. Majima
Small DOI: 10.1002/smll.201703277.
55. 2D Hybrid of Noble Metal-Free Black Phosphorus/WS₂ Photocatalyst for H₂ Production under Near-Infrared Light Irradiation
M. Zhu, C. Zhai, M. Fujitsuka, and T. Majima
Appl. Catal. B Environ. 2018, 221, 645-651.
56. A seed-mediated method to design N-doped graphene supported Au-Ag nanothorns sensor for rutin detection
B. Yang, D. Bina, K. Zhang, Y. Du, and T. Majima
J. Colloid Interface Sci. 2018, 512, 446-454.

B. Reviews

1. Charge Transfer Dynamics in DNA Revealed by Time-Resolved Spectroscopy
M. Fujitsuka and T. Majima
Chem. Sci. (Perspective, invited) 2017, 8, 1752-1762.
2. 放射線化学による反応機構の解明
藤塚守、真嶋哲朗
Radioisotope 2017, 66, 437-449. 特集「最新放射線化学」（編集・発行 日本アイソトープ協会）

3. 振動分光法による放射線化学の新展開 Recent Advances of Radiation Chemistry by Vibration Spectroscopy
藤塚守、真嶋哲朗
放射線化学 2017, 103, 3-12. (編集・発行 日本放射線化学会)
4. 世界初！太陽光広帯域利用による光触媒で水から水素を効率的に生成
真嶋哲朗
自動車技術 (連載『超の世界』) Vol.71, No.11, 102-103 (2017年11月1日発行) (編集・発行 公益社団法人自動車技術会)
5. 太陽光で水から水素を製造
真嶋哲朗
パリティ 2018, 01, 76-78. (1月1日発行) (編集・発行 丸善出版)
6. The Development of Functional Mesocrystals for Energy Harvesting and Conversion
Peng Zhang, Takashi Tachikawa, Mamoru Fujitsuka, Tetsuro Majima
Chem. Eur. J. Minireview, DOI: 10.1002/chem.201704680.
7. Reaction Dynamics of Excited Radical Ions Revealed by Femtosecond Laser Flash Photolysis
Mamoru Fujitsuka and Tetsuro Majima
J. Photochem. Photobiol. C (Mini Review, invited) 2018, 35, 25-37.
8. 可視光・近赤外光応答型光触媒による水から水素の高効率生成
真嶋哲朗
太陽エネルギー 2018, 44 (1), 23-32. (2月1日発行) (編集・発行 一般社団法人日本太陽エネルギー学会)
9. 可視光・近赤外光照射による水の完全分解が可能なZスキーム光触媒の開発
真嶋哲朗
クリーンエネルギー 2018, 00, 00. (5月1日発行) (編集・発行 日本工業出版)