

6. 研究成果リスト

原著論文

1. 時空を細かく観る 100fs–1nm 分解能 MeV 級電子顕微鏡の開発
楊金峰, 吉田陽一
放射線と産業 144, 29-32(2018).
2. Ultrafast electron microscopy with relativistic femtosecond electron pulses
Jinfeng Yang, Yoichi Yoshida, Hidehiro Yasuda
Microscopy 67, 291-295(2018).
3. 二帯域同時マイケルソン干渉計型バンチ長測定装置の開発
野澤 一太, 菅 晃一, 神戸 正雄, 楊 金峰, 近藤 孝文, 吉田 陽一
加速器, 掲載予定 (2019).
4. Relativistic ultrafast electron microscopy: Single-shot diffraction imaging with femtosecond electron pulses
Jinfeng Yang, Yoichi Yoshida
Advances in Condensed Matter Physics, in press (2019).
5. Aggregation-induced singlet oxygen generation: Functional fluorophore and anthrylphenylene dyad self-assemblies
S. Kim, Y. Zhou, N. Tohnai, H. Nakatsuji, M. Matsusaki, M. Fujitsuka, M. Miyata, T. Majima
Chem. Eur. J., 2018, 24, 636–645.
6. Electron transfer dynamics of quaternary sulfur semiconductor/MoS₂ layer-on-layer for efficient visible-light H₂ evolution
X. Shi, M. Fujitsuka, T. Majima
Appl. Catal. B: Environ., 2018, 235, 9–16.
7. Rapid electron transfer of stacked heterodimers of perylene diimide derivatives in a DNA duplex
T. Takada, S. Ishino, A. Takata, M. Nakamura, M. Fujitsuka, T. Majima, K. Yamana
Chem. Eur. J, 2018, 24, 8228–8232.
8. Defect state-induced efficient hot electron transfer in Au nanoparticles/reduced TiO₂ mesocrystal photocatalysts
J. Xue, O. Elbanna, S. Kim, M. Fujitsuka, T. Majima
Chem. Commun., 2018, 54, 6052–6055.
9. Amplifying fluorescence signal contrast of aptamer-modified microspheres inspired by whispering-gallery mode lasing

S. Kim, A. Kuroda, M. Fujitsuka, T. Majima
RSC Adv., 2018, 8, 20822–20828.

10. 2D/2D heterostructured CdS/WS₂ with efficient charge separation improving H₂ evolution under visible light irradiation
K. Zhang, M. Fujitsuka, Y. Du, T. Majima
ACS Appl. Mater. Interfaces, 2018, 10, 20458–20466.
11. Charge carrier dynamics in TiO₂ mesocrystals with oxygen vacancies for photocatalytic hydrogen generation under solar light irradiation
O. Elbanna, M. Fujitsuka, S. Kim, T. Majima
J. Phys. Chem. C, 2018, 122, 15163–15170.
12. Pulse radiolysis of TIPS-pentacene and a fluorene-bridged bis(pentacene): Evidence for intramolecular singlet-exciton fission
J. K. G. Karlsson, A. Atahan, A. Harriman, S. Tojo, M. Fujitsuka, T. Majima
J. Phys. Chem. Lett., 2018, 9, 3934–3938.
13. Spirally configured (*cis*-stilbene) trimers: Steady-state and time-resolved photophysical studies and organic light-emitting diode applications
S.-F. Hung, P.-H. Fang, Y. Wei, F.-Y. Tsai, C.-T. Chen, T. Kimura, S. Samori, M. Fujitsuka, T. Majima, C.-H. Lin, S.-H. Peng, J.-H. Jou
ACS Appl. Mater. Interfaces, 2018, 10, 25561–25569.
14. Defects rich g-C₃N₄ with mesoporous structure for efficient photocatalytic H₂ production under visible light irradiation
D. Ruan, S. Kim, M. Fujitsuka, T. Majima
Appl. Catal. B: Environ., 2018, 238, 638–646.
15. Donor-donor'-acceptor triads based on [3.3]paracyclophane with a 1,4-dithiafulvene donor and a cyanomethylene acceptor: Synthesis, structure, and electrochemical and photophysical properties
K. Sako, T. Hasegawa, H. Onda, M. Shiotsuka, M. Watanabe, T. Shinmyozu, S. Tojo, M. Fujitsuka, T. Majima, Y. Hirao, T. Kubo, T. Iwanaga, S. Toyota, H. Takemura
Chem. Eur. J., 2018, 24, 11407–11416.
16. Factors affecting photocatalytic activity of visible light-responsive titanium dioxide doped with chromium ions
N. Nishiyama, K. Kozasa, T. Okajima, M. Fujitsuka, T. Majima, S. Yamazaki
Catal. Sci. Technol., 2018, 8, 4726–4733.
17. Facet effects of Ag₃PO₄ on charge-carrier dynamics: Trade-off between photocatalytic activity and charge-carrier lifetime
S. Kim, Y. Wang, M. Zhu, M. Fujitsuka, T. Majima
Chem. Eur. J., 2018, 24, 14928–14932.
18. Influence of charge distribution on structural changes of aromatic imide derivatives upon one-electron reduction revealed by time-resolved resonance Raman spectroscopy during pulse radiolysis
B. Zhuang, M. Fujitsuka, S. Tojo, D. W. Cho, J. Choi, T. Majima
J. Phys. Chem. A, 2018, 122, 8738–8744.

19. Synthesis and spectroscopic analysis of benzylidene imidazolone linked to P-porphyrins through axial ligand
J. Matsumoto, K. Takemori, J. Ishikawa, Y. Nabetani, M. Fujitsuka, T. Majima, M. Yasuda
Med. Chem. Res., 2018, 27, 2530–2537.
20. Significant structural relaxations of excited [*n*]cycloparaphenylene dications (*n* = 5–9)
M. Fujitsuka, E. Kayahara, C. Lu, S. Yamago, T. Majima
Phys. Chem. Chem. Phys., 2018, 20, 29207–29211.
21. Molecular technology toward expansion of nucleic acid functionality
M. Kimoto, K. Kawai
Molecular Technology, 2018, 2, 2, 165-181
22. Unprecedented effect of CO₂ calcination atmosphere on photocatalytic H₂ production activity from water using g-C₃N₄ synthesized from triazole polymerization
J. Xu, M. Fujitsuka, S. Kim, Z. Wang, T. Majima
Appl. Catal. B Environ. 2019, 241, 141–148.
23. The role of nitrogen defects in graphitic carbon nitride for visible-light-driven hydrogen evolution
J. Xue, M. Fujitsuka, T. Majima
Phys. Chem. Chem. Phys., 2019, 21, 2318–2324.
24. Efficient photocatalytic H₂ evolution using NiS/ZnIn₂S₄ heterostructures with enhanced charge separation and interfacial charge transfer
A. Yan, X. Shi, F. Huang, M. Fujitsuka, T. Majima
Appl. Catal. B Environ. 2019, 250, 163–170.
25. Black phosphorous sensitized TiO₂ mesocrystals photocatalyst for hydrogen evolution with visible and near-infrared light irradiation
O. Elbanna, M. Zhu, M. Fujitsuka, T. Majima
ACS Catal., DOI: 10.1021/acscatal.8b05081
26. Efficient visible light driven hydrogen generation on gC₃N₄ coupled with iron phosphide
Z. Sun, M. Fujitsuka, C. Shi, M. Zhu, A. Wang, T. Majima
ChemPhotoChem, DOI: 10.1002/cptc.201800260
27. Study on Resist Performance of Noria Derivatives Modified with Various Protection Ratios of Acetal Moieties by means of Extreme Ultraviolet Irradiation
H. Yamamoto, H. Kudo, and T. Kozawa
J. Photopolym. Sci. Technol. 30 (2018) 627-631.
28. Relationship between C=C double bond conversion and dissolution kinetics in crosslinking-type photoresists for display manufacture, studied by real-time Fourier transform infrared spectroscopy and quartz crystal microbalance methods

- A. Tsuneishi, S. Uchiyama, R. Hayashi, K. Taki, and T. Kozawa
Jpn. J. Appl. Phys. 57 (2018) 096501.
29. Reaction Intermediates of Nitric Oxide Synthase from *Deinococcus radiodurans* as Revealed by Pulse Radiolysis; Evidence for Intramolecular Electron Transfer from Biopterin to Fe^{II}-O₂ Complex
Y. Tsutsui, K. Kobayashi, F. Takeuchi, M. Tsubaki, and T. Kozawa
Biochemistry 57 (2018) 1611-1619
30. Redox-dependent Axial Ligand Replacement and Its Functional Significance in Heme-bound Iron Regulatory Proteins
M. Ogura, R. Endo, H. Ishikawa, Y. Takeda, T. Uchida, K. Iwai, K. Kobayashi and K. Ishimori
J. Inorganic Biochem. 182 (2018) 238-248
31. Electron-hole pairs generated in ZrO₂ nanoparticle resist upon exposure to extreme ultraviolet radiation
T. Kozawa, J. J. Santillan, and T. Itani
Jpn. J. Appl. Phys. 57 (2018) 026501.
32. Dissolution behavior of negative-type photoresists for display manufacture studied by quartz crystal microbalance method
A. Tsuneishi, S. Uchiyama, and T. Kozawa
Jpn. J. Appl. Phys. 57 (2018) 046501.
33. Study of electron-beam and extreme-ultraviolet resist utilizing polarity change and radical crosslinking
S. Enomoto and T. Kozawa
J. Vac. Sci. Technol. B 36 (2018) 031601.
34. Resist image quality control via acid diffusion constant and/or photodecomposable quencher concentration in the fabrication of 11 nm half-pitch line-and-space patterns using extreme-ultraviolet lithography
T. Kozawa, J. J. Santillan, and T. Itani
Jpn. J. Appl. Phys. 57 (2018) 056501.

35. An improved method for modelling coolant radiolysis in ITER
Z. Fang, X. Cao, L. Tong, Y. Muroya, G. Whitaker, M. Momeni, M. Lin
Fusion Engineering and Design 127 (2018) 91-98
36. Relationship between Resolution Blur and Shot Noise in Line Edge Roughness Formation of Chemically Amplified Resists Used for Extreme-Ultraviolet Lithography,
T. Kozawa, J. J. Santillan, and T. Itani,
J. Photopolym. Sci. Technol. 31 (2018) 183–188.
37. Comparison of radical generation efficiencies of the oxime-based initiator radicals using galvinoxyl radical as an indicator,
A. Tsuneishi, D. Sakamaki, Q. Gao, T. Shoda, T. Kozawa, and S. Seki,
Jpn. J. Appl. Phys. 57 (2018) 086504.
38. Synthesis of hyperbranched polyacetals containing C-(4-t-butylbenz)calix[4]resorcinarene: Resist properties for extreme ultraviolet (EUV) lithography,
H. Kudo, M. Fukunaga, K. Shiotsuki, H. Takeda, H. Yamamoto, T. Kozawa, and T. Watanabe,
Reactive and Functional Polymers 131 (2018) 361–367.
39. Synthesis and Property of Tannic Acid Derivatives and Their Application for Extreme Ultraviolet Lithography System,
H. Kudo, S. Ohori, H. Takeda, H. Ogawa, T. Watanabe, H. Yamamoto, and T. Kozawa,
J. Photopolym. Sci. Technol. 31 (2018) 221-225.
40. Analysis of dissolution factor of line edge roughness formation in chemically amplified electron beam resist,
T. Kozawa,
Jpn. J. Appl. Phys. 57 (2018) 126502.
41. Sensitizers in extreme ultraviolet chemically amplified resists: mechanism of sensitivity improvement,
Y. Vesters, J. Jiang, H. Yamamoto, D. D. Simone, T. Kozawa, S. D. Gendt, and G. Vandenberghe,

J. Micro/Nanolith. MEMS MOEMS 17 (2018) 043506.

42. Efficient separation of Re(VII) by radiation-induced reduction from aqueous solution,
Yun Shang, Jiabin Xiao, Hanqin Weng, Fuhai Li, Sheng Chen, Shinichi Yamashita, Yusa Muroya, Mingzhang Lin,
Chem. Eng. J. 341 (2018) 317-326.
43. Effects of low temperature buffer on carbon nano wall's growth,
Rupesh Singh, Toshio Kawahara, Toshio Kawahara, Yuhsuke Ohmi, Yasuhide Ohno, Kenzo Maehashi, Kazuhiko Matsumoto, Kazumasa Okamoto, Risa Utsunomiya, Masamichi Yoshimura,
Chem. Eng. J. 341 (2018) 317-326.
44. Effects of an organotin compound on radiation-induced reactions of extreme ultraviolet resists utilizing polarity change and radical crosslinking,
S. Enomoto, T. Yoshino, K. Machida, and T. Kozawa,
Jpn. J. Appl. Phys. 58 (2019) 016504.
45. Observation of dissociative quasifree electron attachment to nucleoside via excited anion radical in solution,
Jun Ma, Anil Kumar, Yusa Muroya, Shinichi Yamashita, Tsuneaki Sakurai, Sergey A. Denisov, Michael D. Sevilla, Amitava Adhikary, Shu Seki, Mehran Mostafavi,
Nat. Commun. 10 (2019) 102.
46. Effects of molecular weight and dispersity on performance of main-chain-scission-type resist,
Ayako Nakajima, Manabu Hoshino, Masakazu Hashimoto, and Takahiro Kozawa,
Jpn. J. Appl. Phys. 58 (2019) 020909.
47. Pulse Radiolysis Studies for Mechanism in Biochemical Redox Reactions,
Kazuo Kobayashi,
Chem. Rev. *in press*.
48. Dependence of relationship between chemical gradient and line width roughness of zirconia nanoparticle resist on pattern duty, acid generator, and developer,

T. Kozawa, A. Nakajima, T. Yamada, Y. Muroya, J. J. Santillan, and T. Itani,
Jpn. J. Appl. Phys. 58 (2019) 036501.

49. Pulse radiolysis of methacrylic acid ligand for zirconia nanoparticle resist,
T. Yamada, S. Ishihara, Y. Muroya, J. J. Santillan, S. Yamashita, T. Itani, and T. Kozawa,
Jpn. J. Appl. Phys. 58 (2019) 036503.

著書

50. "Ultrafast electron microscopy with relativistic femtosecond electron pulses" in
Electron Microscopy - Novel Microscopy Trends
Jinfeng Yang
DOI: 10.5772/intechopen.81405

B. Reviews

1. Recent development of radiation chemistry based on time-resolved resonance Raman
M. Fujitsuka
Chem. Chem. Industry, 2018, 70, 86–89.
2. Studies on structural dynamics of reaction intermediates by vibrational spectroscopy
M. Fujitsuka
Houshasenkagaku (Radiation Chemistry), 2018, 105, 37–40.